| Approved for t | PTO/SB/08B (8/03) use through 07/31/2006. OMB 0651-0031 ce; U.S. DEPARTMENT OF COMMERCE |
|------------------------|---|
| COMPLE | TE IF KNOWN |
| Application Number | 10/648593 |
| Filing Date | 08/26/2003 |
| First Named Inventor | FEI HUANG |
| Art Unit | 1656 |
| Examiner Name | SWOPE, SHERIDAN |
| Attorney Docket Number | D0273 NP |

RMATION DISCLOSURE
FEMENT BY APPLICANT(S)
(USE BS THEORY SHOOTS BS THEORY SHOOTS BS THEORY)

3 of

| CARRIAN. | 5 | NON DATENT LITERATURE DOCUMENTS | |
|------------|------|--|---|
| Examiner | Cite | NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article(when appropriate), title of the item | |
| Initials | No. | (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher city and/or country where published | Check box if English language Translation is attached |
| \wedge | AA | Baselga, et al., "Phase II Study of Weekly Intravenous Recombinant | |
| \wedge l | ŀ | Humanized Anti-p185 ^{HER2} Monoclonal Antibody in Patients with HER2/neu- | |
| A | | Overexpressing Metastatic Breast Cancer', J. Clin. Oncol., Vol. 14(3), pp. 737-744 (1996) | |
| | AB | Bild, et al., "Oncogenic Pathway Signatures in Human Cancers as a Guide to | |
| 1 | | Targeted Therapies", Nature, Vol. 439, pp. 353-357 (2006) | |
| | AC | Brenton, et. al., "Molecular Classification and Molecular Forecasting of Breast Cancer: Ready for Clinical Application?", J. Clin. Oncol., Vol. 23(29), pp. 7350-7360 (2005) | |
| | AD | Burgess, et al., "Comparative Analysis of Two Clinically Active BCR-ABL Kinase Inhibitors Reveals the Role of Conformation-Specific Binding in Resistance", PNAS, Vol. 102, pp. 3395-3400 (2005) | |
| | AE | Carlini, et al., "UGT1A7 and UGT1A9 Polymorphisms Predict Response and Toxicity in Colorectal Cancer Patients Treated with Capecitabine/Irinotecanrn, Clin. Can. Res., Vol. 11, pp. 1226-1236 (2005) | |
| | AF | Dressman, et al., "Gene Expression Profiles of Multiple Breast Cancer Phenotypes and Response to Neoadjuvant Chemotherapy", Clin. Can. Res., Vol. 12(3), pp. 819-826 (2006) | |
| | AG | mediated Focal Adhesion Kinase Phosphorylation in BxPC3 Pancreatic Adenocarcinoma Cells", J. Biol. Chem., Vol. 279(22), pp. 23176-23182 (2004) | |
| | АН | Biscardi, et al., "c-SRC, Receptor Tyrosine Kinases, and Human Cancer", Adv. Can. Res., Vol. 9(6), pp. 61-119 (1999) | |
| | AI | Eliceiri, et al., "Selective Requirement for Src Kinases during VEGF-Induced Angiogenesis and Vascular Permeability", Molec. Cell, Vol. 4, pp. 915-924 (1999) | |
| - | AJ | Finn, et al., "Biologic Effects and Identification of Predictive Markers of Response to Dasatinib (BMS-354825), a Novel, Oral, Multi-targeted Kinase Inhibitor in Human Breast Cancer Cell Lines in vitro", Clin. Can. Res., Vol. 11(24), pp. 9022s (2005) | |
| | AK | Giancotti, et al., "Integrin Signaling", Science, Vol. 285, pp. 1028-1032 (1999) | |
| | AL | Horne, et al., "The Role(s) of Src Kinase and Cbl Proteins in the Regulation of Osteoclast Differentiation and Function", Immunol. Rev., Vol. 208, pp. 106-125 (2005) | , |
| + | АM | Iwao-Koizumi, et al., "Prediction of Docetaxel Response in Human Breast Cancer by Gene Expression Profiling", J. Clin. Oncol., Vol. 23(3), pp. 422-431 (2005) | |

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant

| _ | | | | | |
|------------|-------------------|---------------------|------------|------------------------------|--|
| | | | | Approved for | PTO/SB/08B (8/03) use through 07/31/2006. OMB 0651-0031 |
| | | | | U.S. Patent and Trademark Of | fice; U.S. DEPARTMENT OF COMMERCE |
| Substitute | for form 1449/PTO | | | COMPLI | ETE IF KNOWN |
| | | | | Application Number | 10/648,593 |
| | INFORMA | TION DIS | CLOSURE | Filing Date | 08/26/2003 |
| | | | • | First Named Inventor | FEI HUANG |
| | STATEME | NT BY AF | PLICANT(S) | Art Unit | 1656 |
| | (use a | s many sheets as ne | cessary) | Examiner Name | SWOPE, SHERIDAN |
| Sheet | 2 | of | 2 | Attorney Docket Number | D0273 NP |

| | | | NON PATENT LITERATURE DOCUMENTS | |
|--------------------------------------|---|-----|---|---|
| Examin Cite Include name of the auth | | No. | Include name of the author (in CAPITAL LETTERS), title of the article(when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | Check box if English language Translation is attached |
| \$ | | 2AA | Johnson, et al., "Dasatinib (BMS-354825) Tyrosine Kinase Inhibitor Suppresses Invasion and Induces Cell Cycle Arrest and Apoptosis of Head and Neck Squamous Cell Carcinoma and Non-Small Cell Lung Cancer Cells", Clin. Can. Res., Vol. 11(19), pp. 6924-6932 (2005) | |
| | 2 | | Landen, et al., "EphA2 as a Target for Ovarian Cancer Therapy", Expert Opin. Ther. Targets, Vol. 9(6), pp. 1179-1187 (2005) | |
| | 2 | | Lynch, et al., "Activating Mutations in the Epidermal Growth Factor Receptor Underlying Responsiveness of Non-Small-Cell Lung Cancer to Gefitinib", New Engl. J. Med., Vol. 350(21), pp. 2129/2139 (2004) | |
| | | 2AD | Mao, et al., "Activation of c-Src by Receptor Tyrosine Kinases in Human Colon Cancer Cells with High Metastatic Potential", Oncogene, Vol. 15, pp. 3083-3090 (1997) | |
| | | 2AE | Mariadason, et. al., "Gene Expression Profiling-Based Prediction of Response of Colon Carcinoma Cells to 5-Fluorouracil and Camptothecin", Can. Res., Vol. 63, pp. 8791-8812 (2003) | |
| | | 2AF | Myoui, et al., "C-Src Tyrosine Kinase Activity Is Associated with Tumor Colonization in Bone and Lung in an Animal Model of Human Breast Cancer Metastasis", Can. Res., Vol. 63, pp. 5028-5033 (2003) | |
| | | 2AG | Nam, et al., "Action of the Src Family Kinase Inhibitor, Dasatinib (BMS-354825), on Human Prostate Cancer Cells", Can. Res., Vol. 65(20), pp. 9185-9189 (2005) | |
| | | 2AH | Pao, et al., "EGF Receptor Gene Mutations are Common in Lung Cancers from 'Never Smokers' and are Associated with Sensitivity of Tumors to Gefitinib and Erlotinib", PNAS, Vol. 101, pp. 13306-13311 (2004) | |
| | | 2AI | Pawitan, et al., "Gene Expression Profiling Spares Early Breast Cancer Patients from Adjuvant Therapy: Derived and Validated in Two Population-Based Cohorts", Breast Can. Res., Vol. 7, pp. R953-R964 (2005) | |
| | | 2AJ | Perou, et al., "Molecular Portraits of Human Breast Tumours", Nature, Vol. 406, pp. 747-752 (2000) | |
| | | 2AK | Peters, et al., "Genome-wide Transcriptional Analysis of Carboplatin Response in Chemoensitive and Chemoresistant Ovarian Cancer Cells", Mol. Can. Ther., Vol. 4(10), pp. 1605-1616 (2005) | |
| | 2AL Roberts, et al., "Identification of Genes Associated with Platinum Drug Sensitivity and Resistance in Human Ovarian Cancer Cells", Brit. J. Can., Vol. 92, pp. 1149-1158 (2005) | | | |
| 4 | b | 2AM | Rouzier, et al., "Microtubule-associated Protein Tau: A Marker of Paclitaxel Sensitivity in Breast Cancer", PNAS, Vol. 102, pp. 8315-8320 (2005) | |

| *EXAMINER: | Initial if reference considered penethan crimministip is in conformance with MPEP 609: Draw | a line through citatio | n if not in conformance and not |
|------------|---|------------------------|---------------------------------|
| Examiner | 011211101 01101 E,1 111.D. | Date | |
| Signature | PRIMARY EXAMINER | _ = = : : | NOV 2 4 2006 |
| Oignature | | Considered | 1407 & 7 2000 |

PTO/SB/08B (8/03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE COMPLETE IF KNOWN 10/648,593 **Application Number** 08/26/2003 Filing Date

First Named Inventor

Art Unit

FEI HUANG

1656

INFORMATION DISCLOSURE STATEMENT BY APPLICANT(S)
(use as many sheets as necessary)

Substitute for form 1449/PTO

Sheet

Examiner Signature

SWOPE, SHERIDAN **Examiner Name** 3 3 D0273 NP of **Attorney Docket Number**

| | | NON PATENT LITERATURE DOCUMENTS | |
|----------------------|-------------|---|--|
| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article(when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published | Check box if English language Translation is attached |
| \$ | 3AA | Shah, et al., "Overriding Imatinib Resistance with a Novel ABL Kinase Inhibitor", Science, Vol. 305, pp. 399-401 (2004) | |
| | 3AB | Shah, et al., "BMS-354825: a Novel Drug with Potential for the Treatment of Imatinib-Resistant Chronic Myeloid Leukaemia", Expert Opin. Investig. Drugs, Vol. 14(1), pp. 89-91 (2005) | |
| | 3AC | Staunton, et al., "Chemosensitivity Prediction by Transcriptional Profiling", PNAS, Vol. 98, pp. 10787-10792 (2001) | |
| | 3AD | Susa, et al., "Src Inhibitors: Drugs for the Treatment of Osteoporosis, Cancer or Both", TIPS, Vol. 21, pp. 489-495 (2000) | · · · · · · |
| • | 3AE | Talpaz, et al., "Dasatinib in Imatinib-Resistant Philadelphia Chromosone-Positive Leukemias", N. Engl. J. Med., Vol. 354, pp. 2531-2541 (2006) | |
| | 3AF | Thomas, et al., "Cellular Functions Regulated by SRC Family Kinases", Annu. Rev. Cell Dev. Biol., Vol. 13, pp. 513-609 (1997) | |
| | 3AG | Van de Rijn, et al., "Expression of Cytokeratins 17 and 5 Identifies a Group of Breast Carcinomas with Poor Clinical Outcome", Am. J. Path., Vol. 161(6), pp. 1991-1996 (2002) | |
| | ЗАН | Vekris, et al., "Molecular Determinants of the Cytotoxicity of Platinum Compounds: The Contribution of <i>in Silico</i> Research", Can. Res., Vol. 64, pp. 356-362 (2004) | |
| | 3AI | Verbeek, et al., "c-Src Protein Expression is Increased in Human Breast Cancer. An Immunohistochemical and Biochemical Analysis", J. Path., Vol. 180, pp. 383-388 (1996) | |
| | 3AJ | Warmuth, et al., "Src Family Kinases: Potential Targets for the Treatment of Human Cancer and Leukemia", Curr. Pharm. Design, Vol. 9, pp. 2043-2059 (2003) | |
| | 3AK | Weis, et al., "Endothelial Barrier Disruption by VEGF-Mediated Src Activity Potentiates Tumor Cell Extravasation and Metastasis", J. Cell Biol., Vol. 167(2), pp. 223-229 (2004) | · |
| 4 | 3AL | Yamanashi, et a., "The yes-Related Cellular Gene <i>lyn</i> Encodes a Possible Tyrosine Kinase Similar to p56 ^{lck} ", Molec. Cell. Biol., Vol. 7(1), pp. 237-243 (1987) | |

| SHERIUAN SWUPE, PH.D. | | NOV O A SOOR |
|-----------------------|------------|--------------|
| PRIMARY EXAMINER | Date | NUV 2 4 ZUUD |
| | Considered | |

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE CITATION

P (Bse several sheets if necessary)

ATTY. DOCKET NO. D0273 NP APPLICATION NO. 10/648,593 APPLICANT HUANG ET AL. FILING DATE

Group

包

| T 0 2 2006 S | 6 | | | | AUGUST 26, | 2003 | | | | 1656 | |
|---------------------|----------|-----------------------------|--------------|------------------|---|-------------|----------|---------|--|------------|----------------|
| ADBANG | / | 1 | U.S. RELAT | CED P | ATENT APPLICATIONS | i | | | !01 | | |
| EXAMINER INITIAL | | U.S. APPLICATION | DATE (| | NAME | - | CL | ASS | SUBCLA | ss | FILING DATE |
| 10 | AA | 10/348,119 | 1/17/03 | | Huang, et al. | | | | | | |
| D | AB | 11/169,041 | 6/28/05 | | Huang, et al. | | | | | | |
| | | U.S | S. PATENT | APPL | ICATION PUBLICATIO | NS | | | | | |
| EXAMINER INITIAL | | U.S. APPLICATION | DATE (| | NAME | - | CL | uss | SUBCLA | ss | FILING DATE |
| 25 | AC | 2006/0029971 A1 | 2/9/06 | | Golub, et al. | | | | | | |
| | AD | 2005/0079518 A1 | 4/14/05 | | Baker, et al. | | | | | | |
| | | | U.S. | PATE | NT DOCUMENTS. | | | | | | |
| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | | NAME | | CI | ASS | SUBCLA | ss | FILING DATE |
| | AE | | | <u> </u> | · | | | | | | |
| | AF | | | | | | | · · · · | | | |
| | _ | | FOREIC | SN PA | TENT DOCUMENTS | | | | | | |
| 4 | | DOCUMENT NUMBER | DATE | | OFFICE | C | LASS | SUB | CLASS | TRA YES | NSLATION NO |
| 47 | AG | WO00/62778 | 10/26/00 | PC | Γ | | | | | | |
| 9/ | AH | | | | | | - " | | | | |
| | AI | | | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | AJ | | | <u> </u> | | \perp | | | | | |
| | AK | · | | | | | | | | | |
| | | OTHER DO | CUMENTS | (Incl | uding Author, Title, Date, Pertin | ent pa | ges, Etc |) | | | |
| A | AL | | | | un Ephrin-A4 Encodes a Sol Vol. 95(1), pp. 221-230 (20 | | Moleci | ule tha | ıt is Secı | eted | by |
| | AM | Res., Vol. 12(2), pp. 353 | 3-360 (2006) | | Ephrin A-1 in Carcinoma o | | | | | | |
| A | AN | Epitopes", Cancer Res., | Vol. 63, pp. | nticano 8476- | er Immunotherapy: Identific 8480 (2003) | catio | n of HI | A-A | 0201-R | estric | ted |
| EXAMIN | ER | SHERIDAN SWO PRIMARY EXA | | | DATE CONSIDERED | | N | OV | 2 4 2 | 106 | |

*EXAMINER: Initial of reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

ATTY. DOCKET NO. D0273 NP APPLICATION NO. 10/648,593 APPLICANT HUANG ET AL. FILING DATE AUGUST 26, 2003

Group 1656

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, Etc.)

| | OTHER DOCUMENTS (Including Audio), Title, Date, Pertinent pages, Etc.) | | | | | |
|----------|---|--|--|--|--|--|
| ZAA 2AA | Blume-Jensen, et al., "Oncogenic Kinase Signalling", Nature, Vol. 411, pp. 355-365 (2001) | | | | | |
| 2AB | Brantley, et al., "Soluble Eph A Receptors Inhibit Tumor Angiogenesis and Progression in vivo", Oncogene, Vol. 21, pp. 7011-7026 (2002) | | | | | |
| 2AC | Brown, et al., "Regulation, Substrates and Functions of SRC", Biochimica et Biophys. Acta., Vol. 1287, pp. 121-149 (1996) | | | | | |
| 2AD/ | Cheng, et al., "Blockade of EphA Receptor Tyrosine Kinase Activation Inhibits Vascular Endothelial Cell Growth Factor-Induced Angiogenesis", Molec. Cancer Res., Vol. 1, pp. 2-11 (2002) | | | | | |
| 2AE | Davis, et al., "Ligands for EPH-Related Receptor Tyrosine Kinases That Require Membrane Attachment or Clustering for Activity", Science, Vol. 266, pp. 816-819 (1994) | | | | | |
| 2AF | de Saint-Vis, et al., "Human Dendritic Cells Express Neuronal Eph Receptor Tyrosine Kinases: Role of EphA2 in Regulating Adhesion to Fibronectin", Blood, Vol. 102(13), pp. 4431-4440 (2003) | | | | | |
| 2AG | Duxbury, et al., "Ligation of EphA2 by Ephrin A1-Fc inhibits pancreatic adenocarcinoma cellular invasiveness", Biochem. Biophysical Res. Comm., Vol. 320, pp. 1096-1102 (2004) | | | | | |
| 2AH | Fang, et al., "A Kinase-Dependent Role for EphA2 Receptor in Promoting Tumor Growth and Metastasis", Oncogene, Vol. 24, pp. 7859-7868 (2005) | | | | | |
| 2AI | Flanagan, et al., "The Ephrins and EPH Receptors in Neural Development", Annu. Rev. Neurosci, Vol. 21, pp. 309-45 (1998) | | | | | |
| 2AJ | Frame, M.C., "Src in Cancer: Deregulation and Consequences for Cell Behaviour", Biochimica et Biophys. Acta, Vol. 1602, pp. 114-130 (2002) | | | | | |
| 2AK | Gale, et al., "Eph Receptors and Ligands Comprise Two Major Specificity Subclasses and Are Reciprocally Compartmentalized during Embryogenesis", Neuron, Vo. 17, pp. 9-19 (1996) | | | | | |
| 2AL | Ganju, et al., "The Eck Receptor Tyrosine Kinase is Implicated in Pattern Formation during Gastrulation, hindbrain segmentation and limb development", Oncogene, Vol. 9, pp. 1613-1624 (1994) | | | | | |
| 2AM | Goldman-Wohl, et al., "Eph and Ephrin Expression in Normal Placental Development and Preeclampsia", Placenta, Vol. 25, pp. 623-630 (2004) | | | | | |
| 2AN | Herath, et al., "Over-Expression of Eph and Ephrin Genes in Advanced Ovarian Cancer: Ephrin Gene Expression Correlates with Shortened Survival", BMC Cancer, Vol. 6, pp. 144 (2006) | | | | | |
| EXAMINER | SHERIDAN SWOPE, PH.D. DATE CONSIDERED | | | | | |

PRIMARY EXAMINER

*EXAMINER: Initial of reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

ATTY. DOCKET NO. D0273 NP APPLICATION NO. 10/648,593 APPLICANT HUANG ET AL. FILING DATE AUGUST 26, 2003

Group 1656

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, Etc.)

| _ | | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, Etc.) | | | | | |
|----------|-----------|--|--|--|--|--|--|
| 34 | AA | Herrem, et al., "Expression of EphA2 is Prognostic of Disease-Free Interval and Overall Survival in Surgically Treated Patients with Renal Cell Carcinoma", Vol. 11, pp. 226-231 (2005) | | | | | |
| 3.4 | AB | Hess, et al., "VE-Cadherin Regulates EphA2 in Aggressive Melanoma Cells Through a Novel Signaling Pathway", Cancer Biol. Therapy, Vol. 5(2), pp. 228-233 (2006) | | | | | |
| 3.4 | AC | Holder, et al., "Eph Receptors and Ephrins: Effectors of Morphogenesis", Development, Vol. 126, pp. 2033-2044 (1999) | | | | | |
| 3.4 | AD | Hu, et al., "EphA2 Induction of Fibronectin Creates a Permissive Microenvironment for Malignant Cells", Mol Cancer Res,., Vol. 2(10), pp. 533-540 (2004) | | | | | |
| 3A | AE | Hynes, N.E., "Tyrosine Kinase Signalling in Breast Cancer", Breast Cancer Res., Vol. 2, pp. 154-157 (2000) | | | | | |
| 3A | AF | Kalo, et al., "Signal Transfer by Eph Receptors", Cell Tissue Res., Vol. 298, pp. 1-9 (1999) | | | | | |
| 3A | \G | Kataoka, et al., "Correlation of EPHA2 Overexpression with High Microvessel Count in Human Primary Colorectal Cancer", Cancer Sci., Vol. 95(2), pp. 136-141 (2004) | | | | | |
| 3.4 | AH. | Kikawa, et al., "Regulation of the EphA2 Kinase by the Low Molecular Weight Tyrosine Phosphatase Induces Transformation", J. Biol. Chem., Vol. 277(42), pp. 39274-39279 (2002) | | | | | |
| 3.4 | AI | Kinch, et al., "Overexpression and Functional Alterations of the EphA2 Tyrosine Kinase in Cancer", Clin. Exper. Metastasis, Vol. 20, pp. 59-68 (2003) | | | | | |
| 3A | n (| Kinch, et al., "Predictive Value of the EphA2 Receptor Tyrosine Kinase in Lung Cancer Recurrence and Survival", Clin. Cancer Res., Vol. 9, pp. 613-618 (2003) | | | | | |
| 3A | \K | Koolpe, et al., "An Ephrin Mimetic Peptide That Selectively Targets the EphA2 Receptor", J. Biol. Chem., vol. 277(49), pp. 46974-46979 (2002) | | | | | |
| 3A | VL | Kozlosky, et al., "Lerk-7: A Ligand of the Eph-Related Kinases is Developmentally Regulated in the Brain", Cytokine, Vol. 9(8), pp. 540-549 (1997) | | | | | |
| 3A | м | Lindberg, et al., "cDna Cloning and Characterization of eck, an Epithelial Cell Receptor Protein-Tyrosine Kinase in the eph/elk Family of Protein Kinases", Molec. Cell. Biol., Vol. 10(12), pp. 6316-6324 (1990) | | | | | |
| 3A | N | Lombardo, et al., "Discovery of N-(2-Chloro-6-methyl-phenyl)-2-(6-(4-(2-hydroxyethyl)-piperazin-1-yl)-2-methylpyrimidin-4-ylamino)thiazole-5-carboxamide(BMS-354825), a Dual Src/Abl Kinase Inhibitor with Potent Attitudes in Preclinical Assays", J. Med. Chem., Vol. 47, pp. 6658-6661 (2004) | | | | | |
| EXAMINER | | PRIMARY EXAMINER DATE CONSIDERED NOV 2 4 2006 | | | | | |

^{*}EXAMINER: Initial of reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

ATTY. DOCKET NO. D0273 NP APPLICATION NO. 10/648,593 APPLICANT HUANG ET AL. FILING DATE AUGUST 26, 2003

Group 1656

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, Etc.)

| | _ | | | | | | |
|---------|-----|---|---|---------------------------------|--|--|--|
| 8 | 4AA | Lu, et al., "EphA2 Overexpression Decre Res., Vol. 63, pp. 3425-3429 (2003) | ases Estrogen Dependence and Tan | noxifen Sensitivity", Cancer | | | |
| | 4AB | Macrae, et al., "A Conditional Feedback pp. 111-118 (2005) | Loop Regulates Ras Activity Throu | gh EphA2", Cancer Cell, Vol. 8, | | | |
| | 4AC | Miao, et al., "Activation of EphA2 Kinase Suppresses Integrin Function and Causes Focal-Adhesion-Kinase Dephosphorylation", Nature Cell Biol., Vol. 2, pp. 62-69 (2000) | | | | | |
| | 4AD | Miyazaki, et al., "EphA2 Overexpression Correlates With Poor Prognosis in Esophageal Squamous Carcinoma", Int. J. Cancer, Vol. 103, pp. 657-663 (2003) | | | | | |
| | 4AE | Nakamoto, et al., "Diverse Roles for the Eph Family of Receptor Tyrosine Kinases in Carcinogenesis", Microscopy Research Tech., Vol. 59, pp. 58-67 (2002) | | | | | |
| | 4AF | Nakamura, et al., "Epha2/Efna1 Expressi (2005) | on in Human Gastric Cancer", Canc | cer Sci., Vol. 96(1), pp. 42-47 | | | |
| | 4AG | Ogawa, et al., "The Ephrin-A1 Ligand and its Receptor, EphA2, are Expressed during Tumor Neovascularization", Oncogene, Vol. 19, pp. 6043-6052 (2000) | | | | | |
| | 4AH | Paik, et al., "A Multigene Assay to Predict Recurrence of Tamoxifen-Treated, Node-Negative Breast Cancer", New Eng. J. Med., Vol. 351(27), pp. 2817-2826 (2004) | | | | | |
| | 4AI | Pandey, et al., "Characterization of a Novel Src-like Adapter Protein That Associates with the Eck Receptor Tyrosine Kinase", Vol. 270(33), pp. 19201-19204 (1995) | | | | | |
| | 4AJ | Pandey, et. al., "Activation of the Eck Receptor Protein Tyrosine Kinase Stimulates Phosphatidylinositol 3-Kinase Activity", J. Biol. Chem., Vol. 269(48), pp. 30154-30157 (1994) | | | | | |
| | 4AK | Pandey, et. al., "Role of B61, the Ligand for the Eck Receptor Tyrosine Kinase, in TNF-α-Induced Angiogenesis", Science, Vol. 268, pp. 567-569 (1995) | | | | | |
| 1 1 | 4AL | Parri, et. al., "EphrinA1 Repulsive Response is Regulated by an EphA2 Tyrosine Phosphatase", J. Biol. Chem., Vol. 280(40), pp. 34008-34018 (2005) | | | | | |
| 1 1 | 4AM | Pratt, et al., "Activation of the EphA2 Tyrosine Kinase Stimulates the MAP/ERK Kinase Signaling Cascade", Oncogene, Vol. 21, pp. 7690-7699 (2002) | | | | | |
| 4 | 4AN | Riss, et al., "Comparison of MTT, XTT, and Chamosensitivity Assays", Mol. Biol | and Novel Letrazollum Compound Cell, 3 (Suppl):184(a). | MTS for In Vitro Proliferation | | | |
| EXAMINE | R | SHERIDAN SWOPE, PH.D. PRIMARY EXAMINER | DATE CONSIDERED | NOV 2 4 2006 | | | |

*EXAMINER: Initial of reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

ATTY. DOCKET NO. D0273 NP APPLICATION NO. 10/648,593 APPLICANT HUANG ET AL. FILING DATE AUGUST 26, 2003

Group 1656

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, Etc.)

| _ | | • | | • | | | |
|-------|-------|---|-------------------------------------|--------------------------------|--|--|--|
| 77 | 5AA | Ruiz, et al., "The Expression of the Recep Early Mouse Development", Mechanisms | | | | | |
| | 5AB | Saito, et al., "Expression of EphA2 and E Metastasis", Oncology Rep., Vol. 11, pp. | | orrelation with Cancer | | | |
| | 5AC | Sambrook, J. et al., Molecular Cloning: A Laboratory Manual, /First and Second Edition, Book 1, Cold Spring Harbor Laboratory Press, publ., pp. 1.93-1.104 (1989) Sulman, et al., "ECK, a Human EPH-Related Gene, Maps to 1p36.1, a Common Region of Alteration in Human Cancers", Genomics, Vol. 40, pp. 371-374 (1997) | | | | | |
| | 5AD | | | | | | |
| | 5AE | Tanaka, et al., "EphA2 Phosphorylates the Cytoplasmic Tail of Claudin-4 and Mediates Paracellular Permeability", J. Biol. Chem., Vol. 280(51), pp. 42375-42382 (2005) | | | | | |
| | 5AF | Thaker, et al., "EphA2 Expression is Associated with Aggressive Features in Ovarian Carcinoma", Clin. Cancer Res., Vol. 10, pp. 5145-5150 (2004) | | | | | |
| | 5AG | Walker-Daniels, et al., "Differential Regulation of EphA2 in Normal and Malignant Cells", Amer. J. Path., Vol. 162(4), pp. 1037-1042 (2003) | | | | | |
| | 5AH | Walker-Daniels, et al., "C-Cbl-Dependen Molecular Cancer Res., Vol. 1, pp. 79-87 | | uced by Ligand Binding", | | | |
| | 5AI | Wands, et al., "High Affinity Monoclonal Antibodies to Hepatitis B Surface Antigen (HB ₈ Ag) Produced by Somatic Cell Hybrids", Gastroenterology, Vol. 80, pp. 225-32 (1981) | | | | | |
| | 5AJ / | Wang, et al., "Negative Regulation of Epl pp. 214-220 (2002) | nA2 Receptor by Cbl", Biochem. B | iophys. Res. Comm., Vol. 296, | | | |
| | 5AK | Wilkonson, D.G., "Eph Receptors and Ephrins: Regulators of Guidance and Assembly", International Rev. Cytology, Vol. 196, pp. 177-244 (2000) | | | | | |
| 1 | 5AL | Wilkonson, D.G., "Multiple Roles of EPH Receptors and Ephrins in Neural Development", Vol. 2, pp. 155-164 (2001) | | | | | |
| 1 | 5AM | Xu, et al., "EphA2: Expression in the Renal Medulla and Regulation by Hypertonicity and Urea Stress In Vitro and In Vivo", Am. J. Physiol. Renal Physiol, Vol. 288, pp. F855-F866 (2005) | | | | | |
| V | 5AN | Xu, et al., "Roles of Eph Receptors and E Vol. 355, pp. 993-1002 (2000) | phrins in Segmental Patterning", Ph | nil. Trans. R. Soc. Lond., B., | | | |
| EXAMI | NER | SHERIDAN SWOPE, PH.D. PRIMARY EXAMINER | DATE CONSIDERED | NOV 2 4 2006 | | | |

^{*}EXAMINER: Initial of reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

ATTY. DOCKET NO. D0273 NP APPLICATION NO. 10/648,593 APPLICANT HUANG ET AL. FILING DATE AUGUST 26, 2003

Group 1656

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, Etc.)

| 1 | OTHER BOCOMENTS (Including Addition, Title, Date, Perdinent pages, Etc.) |
|----------|--|
| S 6AA | Yong, et al., "Molecular Profiling of CD34+ Cells Identifies Low Expression of CD7, Along with High Expression of Proteinase 3 or Elastase, as Predictors of Longer Survival in Patients with CML", Blood, Vo 107(1), pp. 205-212 (2006) |
| 6AB | Zelinski, et al., "Estrogen and Myc Negatively Regulate Expression of the EphA2 Tyrosine Kinase", J. Cell Biochem., Vol. 85, pp. 714-720 (2002) |
| 6AC | Zeng, et al., "High-Level Expression of EphA2 Receptor Tyrosine Kinase in Prostatic Intraepithelial Neoplasia", Amer. J. Path., Vol. 163(6), pp. 2271-2276 (2003) |
| 6AD | Zhou, R., "The Eph Family Receptors and Ligands", Pharmacol. Ther., Vol. 77(3), pp. 151-181 (1998) |
| 6AE | NCBI Entrez Accession No. NM_004431 (gi:32967310), Hess, et al., August 13, 2006 |
| 6AF | |
| 6AG | |
| 6АН | |
| 6AI | |
| 6AJ | |
| 6AK | |
| , 6AL | |
| 6AM | |
| 6AN | SHERIDAN SWOPE, PH.D. |
| EXAMINER | PRIMARY EXAMINER DATE CONSIDERED NOV 2 4 2006 |

^{*}EXAMINER: Initial of reference considered, whether or not citation is in conformance with MPEP 609: Draw a line through citation if not in conformance and not considered. Include a copy of this form with the next communication to applicant.